



Commercial95.


HDPE Shade Mesh




White




Natural



Desert Sand




Driftwood




Yellow




Orange




Cherry Red




Deep Ochre




Bluebird




Aquamarine




Sky Blue




Turquoise




Aquatic Blue




Navy Blue




Brunswick Green




Rivergum




Bright Green



Stone



Steel Grey



Gun Metal



Charcoal



Black



Commercial95.

HDPE Shade Mesh



Commercial 95 is a high-performance shade fabric delivering up to 96.5% UV block for outstanding sun protection in harsh environments. **Commercial 95** has a heat-set finish which ensures long-term structural stability. Backed by a 15-year warranty, it offers lasting confidence in durability and performance.

Colour	Cover Factor	Shade Factor	UVR Block %
Aquatic Blue	92	85.6	91.1
Black	94	94.6	94.8
Bright Green	92	88.6	92.5
Brunswick Green	94	93.8	94.7
Cayenne	92	85.3	92.4
Charcoal	93	93.1	93.4
Cherry Red	91	78.4	91.2
Deep Ochre	94	92.8	94.6
Desert Sand	94	86.1	93.8
Gun Metal	93	91.4	93.2
Natural	93	76.2	93.1
Navy Blue	94	93.6	94.4
Orange	93	80.6	94.0
Rivergum Green	93	88.7	92.9
Royal Purple	91	87.7	91.1
Sky Blue	92	89.0	92.2
Steel Grey	94	90.9	94.3
Stone	94	89.3	94.3
Turquoise	92	86.0	91.5
White	93	73.9	92.9
Yellow	95	77.6	95.5

Roll Width x Length	3.0m x 40m
Breaking Force Warp (AS2001.2.3.2-2001 Grab Test)	930N
Breaking Force Weft (AS2002.3.1-2001 Grab Test)	2000N
Elongation at Break Warp	98%
Elongation at Break Weft	71.5%
Bursting Strength (AS2001.2.4)	3600kPa
Tear Resistance Warp (AS2001.2.10-1986)	194N
Tear Resistance Weft (AS2001.2.10-1986)	282N

Email sales@shadesystemsglobal.com to request fabric samples today.

